

T2S-R2E. 2nd Mer.

146	146	146	147	147	147	
145	6	5	4	3	2	1
159	162	160	160	160	160	161
145	7	8	9	10	11	12
159	159	156	156	158	157	157
145	18	17	16	15	14	13
155	156	155	153	155	154	154
145	19	20	21	22	23	24
152	152	152	152	151	153	154
144	30	29	28	27	26	25
149	149	149	150	150	150	151
144	31	32	33	34	35	36
141	141	142	141	142	141	142

T3S-R2E. 2nd Mer.

165	165	165	166	166-164	164	
167	6	5	4	3	2	1
184	184	184	185	183	183	182
168	7	8	9	10	11	12
183	183	180	180	181	181	182
168	18	17	16	15	14	13
179	179	179	176	178	178	178
168	19	20	21	22	23	24
175	175	176	175	176	177	177
168	30	29	28	27	26	25
172	172	172	172	174	173	173
169	31	32	33	34	35	36
170	170	169	170	169	171	169

T. 3 S., R. 2 E. 2. Mer. Ind.

*

Balance of the N. Boundary of T. 3. R. 2. E. —

54.00 To line Sugar-tree 15 ins. dia
 80.00 Set post cor. of Sec 34 & 35. B. Oak 20 ins dia. bears
 60 & 10 N. & W. Hickory 9 ins. dia. bears N 35 W 25 lbs.
 Rough hills good soil Oak. Buck. Sugar. Spruce

East On South side of Sec. 36. T. 2. S. R. 2. E.
 6.00 To Big Blue River course S. W.
 10.70 To East bank. The line crosses at the head of a fall ^{94 or 5 feet} in
 the River below, renders it a good mill seat —
 40.00 To Logwood 1/2 sec. corner. B. Oak 5 ins. dia. South 50 lbs.
 80.00 Set post corner to Towns 2 & 3 S. R. 2. E. & T. 2 & 3
 in R. 3. S. & E. corner of Sec. 36 in T. 2. R. 2 & S. W.
 corner of Sec. 31 in T. 2. R. 3. S.
 W. Oak 15 ins. dia N 20 W 43 lbs. dist. &
 a B. Oak 15 " " S 50 E 15 " "
 First 1/2 rough hills. The last rich. Timber
 Oak. Poplar. B. Walnut. — good land on the North
 side for the last 1/2 —

T. 3. S. R. 1. E. 2. Mer. Ind.^aTownship No. 3. S. R. 1. E. 2. Meridian
Indiana

East	On Base line between T. 2 & 3. S in Range 2 East
4.20	To line tree B. Oak 24 ins. dia
7.15	Do " " W. Oak 15 " "
7.20	Do " " W. Oak 13 " "
11.55	Do " " W. Oak 15 " "
40.00	Set 1/4 sec. post. from which a W. Oak 24 ins. dia. bears N 37 E 31 lbs. & a Dog 7 ins. dia. bears South 13 lbs. dist
48.00	Do a Run 30 lbs. wide course S 20 E
80.00	Set post corner to Sect. 31 & 32 on S. Boundary of T. 2 S. R. 1. E. W. Oak 15 ins. dia. N 30 W 26 lbs. dist & a Hickory 6 " " S 35 E 10 " "
	Last 35 chs. run bottom, the rest hill land, good soil Oak & Hickory timber

East	Continued Base line On S. side of Sec. 32
5.00	Do small run S. E
27.20	Do run 5 lbs. wide S. E
32.00	Do do small South
40.00	Set 1/4 sec. post from which a Hickory bears S 45 W 21 lbs. dist. 7 ins. dia. & a Gum 18 ins. dia. bears N 5 W 31 lbs.
57.20	Do run small North
80.00	Do W. Oak 5 ins. dia. cor. to Sect. 32 & 33 on S. side of T. 3. S. R. 1. E. W. Oak 8 ins. dia. bears S 11 E 8 lbs. dist Thin Soil Oak timber

East	On South Boundary of Sec. 33.
20.50	Do run South small
40.00	Set 1/4 sec. post from which a W. Oak 13 ins. dia. bears S 60 E 8 lbs. & a Dogwood 8 ins. dia. bears N 80 W 23 lbs.
45.85	Do a B. Oak 20 ins. dia. in line
48.00	Do run small S. E.
64.50	Do do do
80.00	Set post corner to Sect. 33 & 34 W. Oak 12 ins. S 70 W 15 lbs. & Gum 13 ins. N 78 E 28 lbs. Hill land. Oak. generally thin soil.

T. 3. S. R. 2. E. of Mer. Ind.

East On South side of Sec. 34
 3.30 To small run S.E.
 14.40 To Hickory 7 ins. dia
 40.00 Set 1/4 Sec. post. Gum 7 ins. dia. bears S 60 W 12 lbs.
 & a W. Oak 10 ins. dia. bears N 70 W 25 lbs —
 80.00 Set post corner of Secs. 34 & 35. B. Oak 20 ins. dia. bears
 North 10 lbs. & a Dog 4 ins. dia. bears N 10 W 5 lbs.
 Mill land Oak Timber —

East On South side of Sec. 35.
 3.35 To line Hickory 15 ins. dia
 40.00 Set 1/4 Sec. post. B. Walnut 15 ins. dia. bears N
 30 E 45 lbs. & Mulberry 7 ins. dia. N 40 W 29 lbs.
 * For Balance of N Boundary see last leaf of previous Town

South On the East side of Sec. No. 1. T. 3. S. R. 2. E
 7.90 B. Oak 15 ins. dia
 40.00 Set 1/4 Sec. post from which a Dogwood 4 ins. dia. bears
 S 65 E 18 lbs. & a Dogwood 6 ins. dia. bears N 70 W 8 lbs.
 80.00 Set post at the corner of Sec. No. 1 & 12 from which
 a W. Oak 15 ins. dia. bears S 40 W 19 lbs. & a W. Oak 8
 ins. dia. bears N 55 E 25 lbs. Broken land, Oak Timber

South On the E. side of Sec. 12. T. 3. S. R. 2. E
 5.80 To a B. Oak tree 15 ins. dia
 40.00 Set 1/4 Sec. post from which a W. Oak 15 ins. dia. bears
 N 50 E 24 lbs. & a Gum 8 ins. dia. bears S 30 W 21 lbs.
 80.00 Set post at the cor. of Sec. No. 12 & 13 from which
 a Hick 10 ins. dia. bears S 40 E 8 lbs. & a Hick 6
 ins. dia. bears S 85 W 6 lbs. Broken land, Oak Timber

South On the E. side of Sec. 13. T. 3. S. R. 2. E
 24.50 To Blue River course S 20 E. 2 chs. over
 40.00 Set 1/4 Sec. post in Blue River thence the course of
 Blue River S 50 W
 80.00 Set post at the cor. of Sec. No. 2 & 13 from which a
 W. Oak 12 ins. dia. bears N 5 W 30 lbs & a Sugar tree bears

T. S. F. R. I. E. / Mor. Ind.

S30 E 26 lbs. 4 ins. dia. Broken land, Oak Timber

South	On the E. Side of Sec. No. 24. T. S. F. R. I. E
16.00	Go Blue River course of the River E. 2 chs. 25 lbs. over
40.00	Set 1/4 Sec. post from which a Sugar-tree 6 ins. dia. bears N30 W 36 lbs. & a Poplar 12 ins. dia. bears S55 E 20 lbs.
80.00	Set post at the cor. of Sec. No. 24 & 25 from which a Beech 10 ins. dia. bears N20 W 6 lbs. & a Sugar-tree 14 ins. dia. bears S45 W 26 lbs. Broken land, Oak Sugar & Beech Timber

South	On the E. Side of Sec. No. 25. T. S. F. R. I. E
14.50	Go Blue River 2 chs. 50 lbs. over, course West
40.00	Set 1/4 Sec. post from which a Hickory tree 6 ins. dia. bears N10 E 16 lbs. & a Hickory 12 ins. dia. bears S70 W 17 lbs.
80.00	Set post at the corner of Sec. No. 25 & 36 from which a Hickory 8 ins. dia. bears N70 E 8 lbs. & a Hickory 7 ins. dia. bears S50 E 18 lbs. Broken land, good Soil Oak & Sugar-tree Timber

South	On the E. Side of Sec. 36. T. S. F. R. I. E
37.70	Go a line W. Oak 30 ins. dia.
40.00	Set 1/4 Sec. post from which a Hickory 12 ins. dia. bears N80 E 21 lbs. & a Mulberry 12 ins. dia. bears S50 E 11 lbs.
80.00	Set post at the corner of Sec. No. 1. b. 31 & 36 from which a W. Oak 12 ins. dia. bears S60 E 13 lbs. & a W. Oak 10 ins. dia. bears N50 W 31 lbs. Level upland, good Soil, Oak Timber.

South	On the East Side of Sec. No. 1. in T. S. F. R. I. E
7.20	Go a W. Oak 10 ins. dia. in line
40.00	Set 1/4 Sec. post from which a W. Oak 30 ins. dia. bears N30 E 26 lbs. & a W. Oak 20 ins. dia. bears S60 W 32 lbs.
54.60	Go a W. Oak 24 ins. dia. in line
80.00	Set post corner of Sec. No. 1 & 12 in T. S. F. R. I. E. from which a W. Oak 15 ins. dia. bears N30 W 20 lbs. &

T. 3. S. R. 2.E. of Mer. Ind.

a Gum 18 ins. dia. bears S 8 W 46 lks.
Level land, thin soil, Oak Timber

South On E. Side of Sec. No. 12. T. 3. S. R. 1.E
10.00 Do a W. Oak 12 ins. dia in line
40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 24 ins. dia. bears
N 48 E 11 lks. & a W. Oak 25 ins. dia. bears S 5 W 38 lks.
47.50 To a B. Oak 10 ins. dia in line
80.00 Set post cor. of Sec. No. 12 & 13. in T. 3. S. R. 1.E.
from which a Hickory 12 ins. dia. bears N 65 E 10 lks. & a
Dogwood 6 ins. dia. bears S 80 W 21 lks. Level land,
thin soil, Oak Timber

North On the E. Side of Sec. No. 13. T. 3. S. R. 1.E
2.55 Do a B. Oak 10 ins. dia
44.00 Set $\frac{1}{4}$ Sec. post from which a Gum 6 ins. dia. bears
N 57 E 6 lks & a Sassafras 6 ins. dia. bears S 3 W 26 lks.
50.30 To a W. Oak 10 ins. dia
80.00 Set post cor. of Sec. No. 13 & 24 from which a B. Oak
30 ins. dia. bears N 30 E 24 lks. & a W. Oak 15 ins. dia. bears
S 45 E 6 lks. Level land, thin soil, Oak Timber

South On E. Side of Sec. No. 24. T. 3. S. R. 1.E
14.40 Do a Gum 15 ins. dia. in line
29.00 Do a B. Oak 18 " " " "
40.00 Set $\frac{1}{4}$ Sec. post from which a Poplar 12 ins. dia. bears
S 25 E 13 lks. & a B. Oak 18 ins. dia. bears N 20 E 7 lks.
43.50 Do a Hickory 12 ins. dia
80.00 Set post cor. of Sec. No. 24 & 25 from which a
Dogwood 6 ins. dia. bears S 46 E 4 lks. & a W. Oak 8 ins.
dia. bears N 44 W 62 lks. Thin soil, Oak & Poplar
timber under growth Green Briars

South On the E. Side of Sec. No. 25. T. 3. S. R. 1.E
12.20 Do Poplar 18 ins. dia
40.00 Set $\frac{1}{4}$ Sec. post from which a Gum 6 ins. dia. bears

G. 3. S. R. D. E. of Mer. Ind.

169

57.08	N 12 W 46 lbs. 9 w Mr. Oak 10 ins. dia. bears S 12 E 8 lbs
80.00	To Poplar 10 ins. dia Set post cor. of Sec. No. 25 & 36 from which a Mr. Oak 8 ins. dia. bears N 55 W 12 lbs. 9 w Mr. Oak 18 ins. dia. bears S 75 E 18 lbs. Rough hill land, thin soil Oak Timber - very Brushy
South	On E. Side of Sec. No. 36. G. 3. S. R. 1 E
17.30	Do a Mr. Oak 10 ins. dia
40.00	Set 1/2 Sec. post from which a B. Oak 18 ins. dia. bears N 30 E 16 lbs. 9 w Sugar-tree 8 ins. dia. bears S 6 W 6 lbs
40.60	Do run 7 lbs. over course Mr.
80.00	Set post cor. of Sec. No. 36 in G. 3. & Sec. No. 4 in G. 4 S. R. 1. E & cor. of Sec. No. 31 in G. 3. & Sec. No. 6 in G. 4 S. R. 2. E. from which a Mr. Oak 16 ins. dia. bears S 63 E 15 lbs. 9 w Mr. Oak 18 ins. dia. bears N 4 W 23 lbs. Rough hill land, Oak Timber.
West	Between Sec. No. 1 & 36. N. Side of Sec. No. 1. T. 4. S. R. 2. E.
40.00	Set temporary post
80.00	Set do do - Broken land, Oak Timber.
West	Between Sec. No. 3 & 35
40.00	Do the temporary post
80.00	Do " " " Broken land, thin soil. Oak Timber.
West	Between Sec. No. 3 & 34
40.00	Set temporary post
62.00	Do Blue River cor 2 lbs. 25 lbs. course 7.
80.00	Set temporary post Rough broken land, Oak & Buck Timber, thin soil
West	Between Sec. No. 4 & 33
40.00	Set temporary post
80.00	Set do do

D. S. L. N. D. & of Mer. Ind.

	Broken land thin Soil Oak Timber, thick M.G.
West	Between Sec. No. 5 & 32
40.00	Set temporary post
80.00	Set do do
	Broken land, W. Oak Timber, thin Soil
West	Between Sec. No. 6 & 31
40.00	Set temporary post
74.66	Intersected R. line fell 5 chs. 50 lbs. N. of the post
	Broken land, thin Soil, Oak Timber
Run East	Established the posts
34.66	a R. Oak 18 ins. dia. bears S 80 E 37 lbs. & an Ironwood 6 ins. dia. bears S 85 W 20 lbs
74.66	Set post at the corner of Sec. No. 5 & 6. 31 & 32 from which a W. Oak 15 ins. dia. bears S 50 E 25 lbs. & a Hickory 5 ins. dia. bears N 35 W 25 lbs.
Run East	Established the Sec. post. Sec. No. 5 & 32
40.00	Go a Gum tree 8 ins. dia. bearing N 60 W 10 lbs. & a Sugar tree 6 ins. dia. bearing N 40 E 28 lbs.
80.00	Established post at the cor. of Sec. No. 4. 5. 32 & 33 from which a B. Oak 2 1/2 ins. dia. bears N 39 lbs. & a W. Oak 12 ins. dia. bears S 15 W 42 lbs
Run East	Established the Sec. post between Sec. No. 4 & 33
40.00	a W. Oak 18 ins. dia. bears N 41 E 16 lbs. & another W. Oak 16 ins. dia. bears S 61 W 40 lbs
80.00	Established post at the cor. of Sec. No. 3. 4. 33 & 34 from which a Sugar tree 10 ins. dia. bears N 6 W 19 lbs. & another Sugar tree 5 ins. dia. bears S 15 W 32 lbs
Run East	Established the Sec. post between Sec. No. 3 & 34
	from which a Hickory 8 ins. dia. bears N 30 W 27 lbs. & an alumn 8 ins. dia. bears S 22 E 20 lbs.

G. B. L. R. D. E. of Min. Ind.

171

	Established post at the corner of Sec. No. 2, 3, 34 & 35 from which a B. Walnut 15 ins. dia. bears N 70 W 16 lbs. & a Sugar-tree 8 ins. dia. bears N 40 E 2 lbs.
East	Established $\frac{1}{4}$ Sec. post between Sec. No. 2 & 35 a B. Oak 30 ins. dia. bears S 80 E 17 lbs. & a B. Walnut 16 ins. dia. bears S 45 W 15 lbs. Established post at cor. of Sec. No. 1, 2, 35 & 36 from which a W. Oak 12 ins. dia. bears N 70 W 22 lbs & another W. Oak 20 ins. dia. bears N 20 E 9 lbs.
North	Between Sec. No. 33 & 34 40.00 Set $\frac{1}{4}$ Sec. post from which a Poplar 30 ins. dia. bears N 44 lbs. & a Dogwood 4 ins. dia. bears S 71 W 5 lbs. 49.26 To a line, a Poplar 36 ins. dia 66.81 To Blue River course S 45 E, over 2 chs. 80.00 Set post at the corner of Sec. No. 27, 28, 33 & 34 from which a Beech 6 ins. dia. bears N 85 W 9 lbs. & another Beech 18 ins. dia. bears N 87 E 12 lbs. - Broken land thin soil, Oak & Hickory Timber
North	Between Sec. No. 32 & 33 10.77 To a line W. Oak 18 ins. dia 40.00 Set $\frac{1}{4}$ Sec. post from which a Hickory 18 ins. dia. bears S 68 E 2 lbs. & a W. Oak 12 ins. dia. bears N 41 W 18 lbs. 80.00 Set post at the corner of Sec. No. 28, 29, 32 & 33 from which a B. Oak 7 ins. dia. bears S 51 E 20 lbs. & a W. Oak 8 ins. dia. bears N. 42 lbs. Broken land thin soil Oak Timber
North	Between Sec. No. 31 & 32 30.60 To a W. Oak 15 ins. dia. in the line 40.00 Set the $\frac{1}{4}$ Sec. post from which a B. Oak 22 ins. dia. bears N 70 E 20 lbs. & a Dogwood 4 ins. dia. bears S 74 W 5 lbs. 60.60 To a W. Oak 15 ins. dia. in the line 80.00 Set post at the cor. of Sec. No. 29, 30, 31 & 32 from

S. 3. S. R. 2. E. of Mer.

which a W. Oak 18 ins. dia. bears S 27 E 12 lbs. &
another W. Oak 10 ins. dia. bears N 2 E 40 lbs
Broken land, thin Soil. Oak Timber

West Between Sec. No. 30 & 31
40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 18 ins. dia.
bears S 15 W 15 lbs. & a W. Oak 10 ins. dia. bears N 44 E 15 lbs
45.00 fell S 1/2 of the corner 80 lbs. Set post at the cor.
of Sec. No. 30 & 31 from which a W. Oak 12 ins. dia
bears S 75 W 12 lbs. & a W. Oak 10 ins. dia. bears N 60 E
14 lbs. — Broken land, thin Soil. Oak Timber

East Between Sec. No. 29 & 32
40.00 Set $\frac{1}{4}$ Sec. post
80.00 fell 12 lbs. N. of the post. thin broken land, poor
Soil Oak Timber, thick W. G.

West Run a true line & established $\frac{1}{4}$ Sec. post from
which a B. Walnut 15 ins. dia. bears S 67 W 10 lbs. &
a Hickory 10 ins. dia. bears N 6 E 20 lbs.

East Between Sec. No. 28 & 33
40.00 Set $\frac{1}{4}$ Sec. post
70.00 To Blue River corner S. over 2 lbs.
49.50 fell N. of the post 45 lbs. Broken land, thin
Soil. Oak & Hickory Timber

West Run a true line & established $\frac{1}{4}$ Sec. post from
which a Sugar tree 5 ins. dia. bears N 60 E 15 lbs. &
a Hickory tree 18 ins. dia. bears S 68 W 10 lbs.

North Between Sec. No. 34 & 35
40.00 Set $\frac{1}{4}$ Sec. post from which a Beech tree 12 ins. dia.
bears N 10 E 15 lbs. & a Beech 8 ins. dia. bears S 11 W 26 lbs
40.76 To a true Beech 20 ins. dia
59.13 To " " W. Oak 18 " "

80.00	Set post cor. of Sec. No. 26. 27. 34 935 from which a Spruce 12 ins. dia. bears S30 E 30 lbs. & an Ash 12 ins. dia. bears N5 E 10 lbs. Rough broken land, thin soil Oak Timber
North	Between Sec. No. 35 & 36
11.40	To a line Hickory 20 ins. dia.
40.00	Set 1/2 Sec. post from which an Ash 15 ins. dia. bears S57 E 28 lbs. & a W. Oak 12 ins. dia. bears N17 W 14 lbs.
80.00	Set post at the cor. of Sec. No. 25. 26. 35 & 36 from which an Ash 15 ins. dia. bears S25 E. & a Hickory 10 ins. dia. bears N86 W 8 lbs. Broken land, thin soil, Oak & Hickory Timber.
East	Between Sec. No. 25 & 36
40.00	Set 1/2 Sec. post
79.00	Set N. of the corner chain. Broken land, thin soil, Oak & Hickory Timber
West	Run a true line & established 1/2 Sec. post from which a W. Oak 20 ins. dia. bears N72 W 13 lbs. & another W. Oak 20 ins. dia. bears N10 E 20 lbs.
North	Between Sec. No. 25 & 26
35.50	To blue River course W. over 1 chain 50 lbs.
40.00	Set 1/2 Sec. post from which an Ash 14 ins. dia. bears N25 E 4 lbs. & a Sugar tree 8 ins. dia. bears N67 W 11 lbs.
52.50	To a B. Oak 20 ins. dia. in the line
78.30	To a W. Oak 24 " " " "
80.00	Set post at the cor. of Sec. No. 23. 24. 25 & 26 from which a Gum 18 ins. dia. bears N30 W 14 lbs. & a Dogwood 6 ins. dia. bears S63 E 3 lbs. Broken land, thin soil, Oak & Hickory Timber
West	Between Sec. No. 26 & 35
31.00	To Blue River over 2 chs. 50 lbs. course S11 E

T. B. L. R. D. E. of Mer

40.00	Set $\frac{1}{4}$ Sec. post
76.00	To Blue River course N. over 2.50
80.00	North of the post $\frac{1}{5}$ lbs
East	Run a true line & established $\frac{1}{4}$ Sec. post from an Ash 8 ins. dia. bears N 35 W 21 lbs. & another Ash 13 ins. dia. bears N 32 W 21 lbs. Broken land, thin soil, Oak & Hickory Timber
West	Between Sec. No. 27 & 34
40.00	Set $\frac{1}{4}$ Sec. post
80.00	fell N. of the corner 1 chain
East	Run a true line & established the $\frac{1}{4}$ Sec. post, from which a Hickory 12 ins. dia. bears N 40 W 12 lbs. & a W. Oak 10 ins. dia. bears S 20 E 15 lbs. Broken land, thin soil, Oak Timber
North	Between Sec. No. 27 & 28
20.00	To Blue River course S 30 W. over 2.50
31.70	To a line W. Oak 30 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 24 ins. dia. bears N 35 W 17 lbs. & a Hickory 12 ins. dia. bears S 62 E 33 lbs
80.00	Set post at the cor. of Sec. No. 21. 22. 27 & 28 from which a W. Oak 20 ins. dia. bears S 60 E 24 lbs. & a W. Oak 30 ins. dia. bears N 15 W 39 lbs. Broken land thin soil, Oak Timber.
North	Between Sec. No. 28 & 29
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 6 ins. dia. bears N 1 E 27 lbs. & a W. Oak 12 ins. dia. bears S 45 W 25 lbs
48.30	To a line W. Oak 30 ins. dia
80.00	Set post at the corner of Sec. No. 20. 21. 28 & 29. from which a W. Oak 15 ins. dia. bears S 80 E. & a Dogwood 6 ins. dia. bears S 20 E 17 lbs. Rough broken land, thin soil, Oak & Hickory Timber

West	Between Sec. No. 21 & 28
40.00	Set $\frac{1}{4}$ Sec. post
80.00	Set N. of the post 30 lbs
East	Run a true line & established $\frac{1}{4}$ Sec. post from which a Spruce 18 ins. dia. bears S 84 E 33 lbs. & a W. Oak 20 ins. dia. bears S 36 W 20 lbs. Broken land, thin soil, Oak & Michigan Timber.
North	Between Sec. No. 26 & 27
40.00	Set $\frac{1}{4}$ Sec. post in Blue River course S 63 W
80.00	Set post at the corner of Sec. No. 22, 23, 26 & 27 from which a Hickory 9 ins. dia. bears N 17 W 9 lbs. & a Hickory 12 ins. dia. bears S 42 W 19 lbs. Broken land, thin soil, Oak Timber
North	Between Sec. No. 29 & 30
29.80	Do line W. Oak 18 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 12 ins. dia. bears S 4 E 39 lbs. & an Oak 10 ins. dia. bears N 55 W 18 lbs
80.00	Set post at the cor. of Sec. No. 19, 20, 29 & 30. from which a W. Oak 12 ins. dia. bears N 31 W 3 lbs. & an Allum 4 ins. dia. bears S 4 W 6 lbs. Broken land, thin soil, Oak Timber
West	Between Sec. No. 19 & 30
40.00	Set $\frac{1}{4}$ Sec. post from which a B. Oak 20 ins. dia. bears S 53 W 21 lbs. & a W. Oak 10 ins. dia. bears S 54 W 18 lbs
73.00	Do the R. line full N. of the post 1 chain - Set post at the cor. of Sec. No. 19 & 30. from which a Dogwood 8 ins. dia. bears S 85 W 3 lbs. & a Dogwood 8 ins. dia. bears S 42 E 15 lbs. Broken land, thin soil, Oak timber.
North	Between Sec. No. 19 & 20
11.08	Do a line B. Oak 24 ins. dia.

N. 3. S. (R. D. E. of Mer.

40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 18 ins. dia. bears S 5 W 11 lbs. & a W. Oak 20 ins. dia. bears N 20 W 25 lbs
80.00	Set post at the cor. of Sec. No. 17, 18, 19 & 20 from which a Mulberry 15 ins. dia. bears N 45 W 20 lbs. & a Sugar tree 12 ins. dia. bears S 20 W 30 lbs. Broken land, thin soil. Oak Timber.
East	Between Sec. No. 20 & 29
40.00	Set the $\frac{1}{4}$ Sec. post
79.00	fell N. of the post 50 lbs. Broken land thin soil. Oak Timber
West	Run a true line & established $\frac{1}{4}$ Sec. post from which a Sugar tree 10 ins. dia. bears N 52 W 29 lbs. & another Sugar tree 12 ins. dia. bears S 32 W 22 lbs.
North	Between Sec. No. 20 & 21
3.20	No a line W. Oak 18 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a Hickory 12 ins. dia. bears N 64 W 30 lbs. & a Sugar tree 6 ins. dia. bears S 10 E 25 lbs
81.00	Set post at the cor. of Sec. No. 16, 17, 20 & 21. from which a Poplar tree 6 ins. dia. bears S 45 E 12 lbs. & a W. Oak 18 ins. dia. bears N 44 W 13 lbs. — Broken land thin soil. Oak Timber.
North	Between Sec. No. 21 & 22
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 6 ins. dia. bears N 40 W 3 lbs. & a W. Oak 5 ins. dia. bears N 74 E 20 lbs.
80.00	Set post at the cor. of Sec. No. 15, 16, 21 & 22 from which a B. Oak 15 ins. dia. bears S 54 E 32 lbs. & another B. Oak 18 ins. dia. bears N 45 E 20 lbs. Broken land thin soil. Oak Timber.
West	Between Sec. No. 16 & 21
40.00	Set $\frac{1}{4}$ Sec. post
80.00	fell N. of the corner 45 lbs. Broken land, thin soil, Oak & Hickory Timber

G. B. L. R. D. E. of Mer.

East	Run a true line & established $\frac{1}{4}$ Sec. post from which a Dogwood 4 ins. dia. bears S 88 W 11 lbs. & another Dogwood 3 ins. dia. bears N 34 E. 2 lbs
East	Between Sec. No. 22 & 27
40.00	Set $\frac{1}{4}$ Sec. post
80.00	fell N. of the post 44 lbs.
West	Run a true line & established $\frac{1}{4}$ Sec. post from which a W. Oak 10 ins. dia. bears S 9 E 22 lbs. & a B. Oak 13 ins. dia. bears S 75 W 20 lbs. — Broken land, thin soil. Oak timber
North	Between Sec. No. 22 & 23
13.20	Yas a line (W. Oak 15 ins. dia.)
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 10 ins. dia. bears N 35 W 18 lbs. & a W. Oak 15 ins. dia. bears N 45 W 14 lbs.
80.00	Set post at the cor. of Sec. No. 14, 15, 22 & 23 from which a W. Oak 11 ins. dia. bears N 63 W 22 lbs. & a W. Oak 9 ins. dia. bears N 10 E 22 lbs. — Broken land, thin soil. Oak timber
East	Between Sec. No. 23 & 26
40.00	Set the $\frac{1}{4}$ Sec. post
79.00	fell S. of the post 1. ch. — Broken land, thin soil, Oak timber
West	Run a true line & established $\frac{1}{4}$ Sec. post from which a W. Oak 12 ins. dia. bears S 78 W 27 lbs. & an Elm 5 ins. dia. bears N 37 E 2 lbs. —
East	Between Sec. No. 24 & 25
40.00	Set $\frac{1}{4}$ Sec. post
79.50	fell S. of the cor. 75 lbs. — Broken land, thin soil. Oak timber
West	Run a true line & established the $\frac{1}{4}$ Sec. post from which a Cedar tree 4 ins. dia. bears S 34 E 12 lbs. & another Cedar tree 10 ins. dia. bears N 15 W 30 lbs

T. S. L. R. I. C. of Mer.

North Between Sec. No. 23 & 24
 23.40 To line W. Oak 18 ins. dia
 40.00 Set 1/2 Sec. post from which a W. Oak 15 ins. dia. bears
 S 67° W 20 lbs. & a W. Oak 10 ins. dia. bears N 57° E 8 lbs.
 49.60 To a line W. Oak 18 ins. dia.
 80.00 Set post at the cor. of Sec. No. 13, 14. 23 & 24 from
 which a Hickory 10 ins. dia. bears N 23° W 18 lbs. & a
 W. Oak 30 ins. dia. bears S. 39 lbs. — Rough broken
 land thin soil. Oak Timber

East Between Sec. No. 13 & 24
 33.50 To Blue River course South
 40.00 Set 1/2 Sec. post
 49.50 full N. of the post one chain

West Run a true line & established 1/2 Sec. post. from
 which a Beech 20 ins. dia. bears N 65° E 25 lbs. & a Poplar
 24 ins. dia. bears S 53° E 3 lbs. — Broken land, thin
 soil, Oak Timber

West Between Sec. No. 14 & 23
 40.00 Set 1/2 Sec. post
 49.50 full N. of the corner 80 lbs. — Broken land, thin soil
 Oak Timber

East Run a true line & established 1/2 Sec. post from
 which a W. Oak 12 ins. dia. bears S 55° W 16 lbs. & a W.
 Oak 8 ins. dia. bears S 75° E 84 lbs

West Between Sec. No. 15 & 22
 40.00 Set 1/2 Sec. post
 80.00 full S. of the post 25 lbs. Broken land, thin soil
 Oak Timber

East Run a true line, established 1/2 Sec. post from which
 a W. Oak 24 ins. dia. bears N 64° W 17 lbs. & another

	N. Oak 12 ins. dia. bears S 65 E 26 lbs
North	Between Sec. No. 15 & 16
39.50	Do a line N. Oak 18 ins. dia
40.00	Set the Sec. post from which a W. Walnut 6 ins. dia. bears N 86 W 16 lbs. & a N. Oak 10 ins. dia. bears S 25 lbs
80.00	Set post at the corner of Sec. No. 9, 10, 15 & 16. from which a N. Oak 18 ins. dia. bears S 90 E 12 lbs. & another N. Oak 10 ins. dia. bears S 10 W 29 lbs. Broken land, thin soil. Oak Timber
North	Between Sec. No. 16 & 17
3.30	Do line N. Oak 15 ins. dia.
40.00	Set the Sec. post, from which a Sugar tree 10 ins. dia. bears N 2 W 10 lbs. & a B. Walnut 10 ins. dia. bears S 74 W 4 lbs
80.00	Set post at cor. of Sec. No. 8, 9, 16 & 17. from which a Hickory 10 ins. dia. bears N 82 E 15 lbs. & a N. Oak 20 ins. dia. bears N 84 W 3 lbs. Broken land, thin soil. Oak Timber
West	Between Sec. No. 17 & 20
16.20	Do a Spring Branch over 12 lbs. course South
40.00	Set the Sec. post
79.00	fell S. of the post 50 lbs. Broken land, thin soil. Oak Timber
East	Run a true line & established the Sec. post from which a Dogwood 6 ins. dia. bears S 82 E 18 lbs. & a Poplar tree 10 ins. dia. bears N 70 W 30 lbs
West	Between Sec. No. 18 & 19
40.00	Set the Sec. post from which a Hick. 8 ins. dia. bears N 70 E 19 lbs. & a N. Oak 12 ins. dia. bears S 78 W 19 lbs
74.80	fell N. of the post 1 chain. Set post on R. line at the corner of Sec. No. 18 & 19 from which a Poplar tree 15 ins. dia. bears N 21 E 20 lbs. & a Dogwood 6 ins

S. B. L. N. D. E. of Mer.)

	dia. bears S 24 W 14 lbs. Broken land, thin soil Oak Timber
North	Between Sec. No. 17 & 18
40.00	Set $\frac{1}{4}$ Sec. post from which a Gum 10 ins. dia. bears S 7 E 13 lbs. & a W. Oak 15 ins. dia. bears N 78 W 20 lbs
57.40	Set line a W. Oak 2 $\frac{1}{2}$ ins. dia
80.00	Set post at the cor. of Sec. No. 7 & 8. 17 & 18. from which a W. Oak 18 ins. dia. bears S 15 E 25 lbs. & a Hickory 10 ins. dia. bears N 22 W 17 lbs. — Broken land, thin soil. Oak Timber
East	Between Sec. No. 8 & 9
40.00	Set $\frac{1}{4}$ Sec. post
79.00	fell N. of the post 50 lbs. Broken land, thin soil. Oak Timber
West	Run a true line & established $\frac{1}{4}$ Sec. post from which a Poplar tree 18 ins. dia. bears N 60 W 8 lbs. & a Dogwood 6 ins. dia. bears S 1 E 6 lbs
East	Between Sec. No. 9 & 10
40.00	Set $\frac{1}{4}$ Sec. post
80.00	fell S. of the post 10 lbs. Broken land, thin soil. Oak Timber
West	Run a true line & established $\frac{1}{4}$ Sec. post from which a W. Oak 15 ins. dia. bears N 78 E 20 lbs & another W. Oak 15 ins. dia. bears S 86 E 10 lbs.
North	Between Sec. No. 9 & 10
40.00	Set $\frac{1}{4}$ Sec. post from which a Gum 10 ins. dia. bears N 10 E 34 lbs. & a W. Oak 18 ins. dia. bears S 33 W 37 lbs
80.00	Set post at the cor. of Sec. No. 3 & 4. 9 & 10 from which a W. Oak 10 ins. dia. bears N 16 W 37 lbs. & a Hickory 18 ins. dia. bears S 52 E 18 lbs. — Level land

thin Soil, Oak Timber

North Between Sec. No. 14 & 15
16.50 To line B. Oak 24 ins. dia.
40.00 Set $\frac{1}{4}$ sec. post from which a W. Oak 20 ins. dia.
bears N 42 W 22 lbs. & another 15 ins. dia. bears N 9 E 47 lbs.
80.00 Set post at the corner of Sec. No. 10. 11. 14 & 15 from
which a Dogwood 8 ins. dia. bears S 35 E 15 lbs. & a
B. Oak 24 ins. dia. bears N 18 E 13 lbs. Rough broken
land thin soil. under brush, Oak Timber

West Between Sec. No. 10 & 15
40.00 Set the $\frac{1}{4}$ sec. post
80.00 fell N. of the corner 25 lbs. Broken land. thin
soil. Oak Timber

East Run a true line & established the $\frac{1}{4}$ sec. post, from
which a Hickory 12 ins. dia. bears N 83 W 24 lbs. &
a Poplar tree 20 ins. dia. bears S 67 W 12 lbs.

North Between Sec. No. 13 & 14
20.80 To line W. Oak 15 ins. dia.
28.20 To Blue River course E. over 2 chs.
40.00 Set $\frac{1}{4}$ sec. post from which a Buck 4 ins. dia. bears
S 12 E 23 lbs. & a Sugar tree 8 ins. dia. bears N 25 W 20 lbs.
80.00 Set post at the corner of Sec. No. 11. 12. 13 & 14. from
which a W. Oak 26 ins. dia. bears N 12 E 13 lbs. & a
Dogwood 4 ins. dia. bears S 10 E 30 lbs. Broken land,
thin soil, Oak Timber

West Between Sec. No. 11 & 12
40.00 Set $\frac{1}{4}$ sec. post on the bank of Blue River course
S 20 E. over 2 chs. 25 lbs.
79.75 fell S. of the corner 25 lbs.

East Run a true line & established the $\frac{1}{4}$ sec. post

O. B. L. R. I. E. of Mer.

from which a Lym tree 14 ins. dia. bears S 53° W 16 lbs
 & a W. Oak 18 ins. dia. bears N 45° W 15 lbs.
 Broken land, thin soil, Oak Timber

East Between Sec. No. 12 & 13

40.00 Set 1/2 Sec. post

80.00 fell N. of the post 75 lbs. Level land, good
 Soil, Timber Oak Walnut & Beech

West Run a true line & established the 1/2 Sec. post
 from an Allum 6 ins. dia. bears S 30° E 13 lbs.
 an allum 4 ins. dia. cor.

North Between Sec. No. 11 & 12

14.70 to line B. Oak 30 ins. dia

40.00 Set 1/2 Sec. post from which a Dogwood 5 ins. dia
 bears S 34° W 33 lbs. & a W. Oak 18 ins. dia. bears N 25° W

80.00 Set post at the corner of Sec. No. 1. 2. 11 & 12
 from which a Dogwood 4 ins. dia. bears S 12° E
 15 lbs. & a Dogwood 5 ins. dia. bears N 12° W 33 lbs
 Broken land thin soil, Oak Timber

East Between Sec. No. 14 & 12

40.00 Set 1/2 Sec. post

80.00 fell N. of the corner - 40 lbs Broken land, thin
 Soil, Oak timber

West Run true line & established 1/2 Sec. post from
 which a W. Oak 12 ins. dia. bears S 85° W 43 lbs. &
 a Hickory 15 ins. dia. bears N 82° E 3 lbs.

North Between Sec. No. 10 & 11

6.40 to line W. Oak 18 ins. dia

40.00 Set 1/2 Sec. post from which a W. Oak 18 ins. dia
 bears N 4° E 16 lbs. & a Hickory 15 ins. dia. bears S 38° E 27 lbs

80.00 Set post in Blue River course S. at the corner

183

T. & S. R. D. E. of Mer. Ind.

of Sec. No. 2, 3, 10 & 11 no bearing trees
Broken land, thin Soil, Oak Timber

East Between Sec. No. 2 & 11
40.00 Set $\frac{1}{4}$ sec. post
79.80 fell N. of the post 30 lbs. Broken land, thin
Soil, Oak Timber.

West Run a true line & established $\frac{1}{4}$ sec. post, from
which a Sugar tree 24 ins. dia. bears N 34 E 44
lbs. & a B. Oak 36 ins. dia. bears S 43 W 18 lbs.

West Between Sec. No. 3 & 10.
40.00 Set $\frac{1}{4}$ sec. post
80.10 fell S. of the cor. 33 lbs. Broken land, thin Soil,
Oak timber

East Run a true line & established $\frac{1}{4}$ sec. post from
which a B. Oak 30 ins. dia. bears S 53 W 37 lbs. & a
Gum tree 10 ins. dia. bears S 78 E 32 lbs.

North Between Sec. No. 8 & 9
5.00 Go a W. Oak 15 ins. dia. in the line
40.00 Set $\frac{1}{4}$ sec. post from which a Hick. 20 ins. dia. bears
S 4 E 17 lbs. & a Hick. 10 ins. dia. bears N 35 E 5 lbs
80.00 Set post at the cor. of Sec. No. 4, 5, & 9 from which
a B. Oak 24 ins. dia. bears N 50 E 4 lbs. & a W. Oak 10 ins.
dia. bears S 25 W 33 lbs. Broken land, thin Soil,
Oak Timber

West Between Sec. No. 7 & 18
40.00 Set $\frac{1}{4}$ sec. post ~~from which~~ a Hick. 4 ins. dia. &
a B. Oak 3 ins. dia. bears S 87 E 20 lbs
74.50 Go the R. line fell N. of the corner 1 chain & 50 lbs. at
the corner of Sec. No. 7 & 18. from which a B. Oak 24 ins.
dia. bears S 6 E 2 lbs. & a W. Oak 12 ins. dia. bears S 62 E

M. S. L. R. D. E. of Mer.

1600rs. Broken land, thin Soil, Oak Timber

North Between Sec. No. 7 & 8

11.50 Do a B. Oak 15 ins. dia in the line

40.00 Set 7/8 Sec. post from which a Poplar 48 ins. dia. bears N 22 W 20 lbs. & a Gum 18 ins. dia. bears S 12 E 34 lbs

78.90 Do a W. Oak 24 ins. dia. in the line

80.00 Set post at the corner of Sec. No. 5 & 6. 7 & 8 from which a Dogwood 4 ins. dia. bears N. 3. E 17 lbs. & a W. Oak 20 ins. dia. bears S 35 E 33 lbs. Broken land, thin Soil, Oak Timber

West Between Sec. No. 6 & 7

40.00 Set 7/8 Sec. post from which a Sassafras 10 ins. dia. bears S 22 W 23 lbs. & a Sassafras 8 ins. dia. bears N 26 E 27 lbs

74.50 Do the R. line fell N. of the corner 1 chain 92 5 lbs. Set post at the cor. of Sec. No. 6 & 7 from which a Gum 10 ins. dia. bears N 5 E 23 lbs. & a Dogwood 5 ins. dia. bears S 65 E 32 lbs. Broken land, thin Soil, Oak Timber

North Between Sec. No. 5 & 6

9.00 Do a W. Oak 18 ins. dia in the line

40.00 Set 7/8 Sec. post a Hickory 4 ins. dia. & another Hickory 6 ins. dia. bears S 4 E 12 lbs

76.00 Do Base line fell W. of the corner 4 chs. Set post at the corner of Sec. No. 5 & 6. a B. Oak 10 ins. dia the true corner. Broken land thin Soil, Oak Timber.

East Between Sec. No. 5 & 8

40.00 Set 7/8 Sec. post

79.10 fell N. of the corner 50 lbs. Broken land, thin Soil Oak Timber

West Run a true line, established 7/8 Sec. post. from

T. 3 S., R. 2 E. 2^d Mer. Ind.

which a Gum 6 ins. dia. bears N. 8 Ws. & another
Gum 8 ins. dia. bears N 88 W 18 Ws

North Between Sec. No. 4 & 5
25.40 Go a Poplar 12 ins. dia in the line
40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 24 ins. dia bears
N 64 E 12 Ws. & a Hickory 12 ins. dia bears N 71 W 25 Ws
75.75 Go the base line full NW. of the corner 2 Chs. - set
post at the corner of Sec. No. 4 & 5 from which a
W. Oak 24 ins. dia. bears N 41 W - & another W. Oak
28 ins. dia. bears N 77 W 20 Ws. Broken land, thin
soil, Oak Timber.

East Between Sec. No. 4 & 9
40.00 Set $\frac{1}{4}$ Sec. post
80.05 fell S. of the corner 80 Ws. Broken land, thin soil
Oak timber

West Run a true line & established $\frac{1}{4}$ Sec. post from
which a W. Oak 12 ins. dia. bears W. 26 Ws. & another
W. Oak 15 ins. dia. bears N 11 W 10 Ws.

North Between Sec. No. 1 & 2
11.80 Go a Poplar 20 ins. dia. in line
40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 10 ins. dia. bears
N 15 E 25 Ws. & a Poplar 4 ins. dia. bears N 15 E 11 Ws.
59.00 Go Blue River - course S 10 W 2 Ws. over to a preci-
pice inaccessible. Broken land, thin soil, Oak timber
76.00 W. Oak 30 ins. dia. corner of Sec. No. 1 & 2, hit post
run down South from corner

North Between Sec. No. 2 & 3
15.20 Go Blue River course S 80 W - over E. 50
40.00 Set $\frac{1}{4}$ Sec. post, from which a W. Oak 11 ins. dia. bears
N 64 W 10 Ws. & a W. Oak 12 ins. dia. bears N 20 E 18 Ws
65.20 Go a W. Oak 15 ins. dia. in the line

T. 3. S. R. 2. E. of Mer.

75.80 To Base line fell West of the corner 1 chain 30 lbs
 set post at the corner of Sections No. 2 & 3.
 from which a Hickory 10 ins. dia. bears S 10 E
 12 lbs. & a W. Oak 6 ins. dia. bears N 25 W 6 lbs
 Broken land, thin soil, Oak Timber

North Between Sections No. 3 & 4
 40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 24 ins.
 dia. bears S 25 W 5 lbs. & a Gum 15 ins. dia. bears
 S 30 E 7 lbs.

75.00 To the base line fell West of the post 1 chain
 set post at the corner of Sect. No. 3 & 4 from
 which a Gum 3 ins. dia. bears N 85 E 16 lbs. &
 another Gum 3 ins. dia. bears N 71 W 13 lbs.
 Broken land thin soil, Oak Timber

Surveyed by
 Silas Perit. D. Sur.

I certify that the foregoing Transcript
 of the field notes of Township No. 3 South
 Range No. 2 East of the 2^d Mer. has been compared
 with the original in this office and found
 to be correct.

Surveyor General's Office
 Cincinnati, Feb. 11. 1846

E. S. Cairnes
 Sur. Genl.